



PROGRAS PAINT

884

Grass Paint

PRODUCT DESCRIPTION:

It is a water-based acrylic emulsion-based organic grass coloring paint that paints yellowed, dried grasses, plants and soil areas with a natural green color. It is an organic grass coloring dye that dyes plants to a natural green color. It can be produced in desired green color tones and also in colors such as red and yellow. BARS grass dye is also used to give natural green color in sand and soil areas. Spreads easily on lawn surfaces. It has high adhesion strength and dries quickly in 2-3 hours. Grass fields are green in all four seasons and in all climatic conditions, they are not affected by the irrigation regime of the grass area and rain. It does not harm the grass and the environment since it does not contain harmful chemicals, heavy metals and other fillers. BARS grass paint is completely water-based and environmentally friendly. It does not contain VOCs, its application is extremely simple.

FEATURES:

Single component.
It is easy to use.
Ready to use.
Its adherence is high.
Minimizes repair costs.

PRODUCT INFORMATION:

Chemical Base Water based
Appearance Liquid

PERFORMANCE:

(23°C, 50% RH)

Drying time 300 min

These values have been obtained as a result of laboratory experiments and are valid for the performance of the finished applications at the end of the full drying period. Since the temperature and humidity values in the construction site environment and the application surfaces and areas will vary, the values may change.



PROGRAS PAINT

884

Grass Paint

USAGE AREAS:

It is used in completely yellowed and dried grass areas, yellowed grass in rural wedding halls, site gardens, soil areas that do not grow for opening, dried plants, sandy areas, football fields.

APPLICATION INSTRUCTIONS:

Before starting the application, the grass area is mowed at a height of 2 cm. This ensures that the grass leaves stay upright and BARS grass paint can reach all the yellowed and dried areas below. The lawn area is raked with a suitable rake without damaging the grass leaves, and foreign materials and dead plant materials in the lawn are removed from the area.

LIMITATIONS:

In order to obtain optimum quality, please obey to the application instructions. The application should be done between +5 C and +30 C. It should not be applied in hot, rainy and windy weather.

It should not be applied on surfaces where there is a danger of frost. Until the product cures, it should be protected from rain, water, frost and negative external factors.

CONSUMPTION:

10-15 m² area can be painted with 1 lt of grass paint.

PACKAGING:

1 kg plastic bottle

SHELF LIFE:

It is 1 year from the date of production, in dry and humid environments, out of direct sunlight, in its original package with the lid closed, at +5 °-25 °C temperature, 50% relative humidity.

When not in use, the lids of the packages should be tightly closed. It should be kept away from moisture. Protect from high heat and frost.

STORAGE CONDITIONS:

It should be stored in its unopened original package, in a moisture-free, dry and cool (temperature between +5 C and +25 C) environment. It should not be left under direct sunlight.



PROGRAS PAINT

884

Grass Paint

SECURITY:

Do not breathe the product, use a mask. Avoid contact with skin and eyes. Use protective gloves, goggles and clothing. In case of eye contact, seek medical advice immediately. Keep out of reach of children. In case of skin contact, wash with plenty of water and soap. Do not swallow. For detailed information and recommendations, please refer to the Safety Data Sheet.

DEKOSTAR San.ve Tic.Ltd. Şti. is not responsible for any application errors that may occur if the product is used for purposes other than its intended use or if the above-mentioned application conditions and recommendations are not followed. Dekostar reserves the right to change its products. Users should consider the latest edition of the Technical Data Sheet of the relevant product.